UNIVERSITY OF JAFFNA, SRI LANKA BACHELOR OF PHARMACY

THIRD YEAR SECOND SEMESTER EXAMINATION—JANUARY 2013 PHARMACOLOGY IV – PHACL 3201 (Old Syllabus)

Paper II

Date: 19.02.2013 Time: 02 hours

ANSWER ALL THE **EIGHT** QUESTIONS

1.			
	1.1.	Name 2 groups of antibiotics that could be used in the treatment of	
		urinary tract infection in pregnancy.	(20 Marks)
	1.2.	What are the adverse effects of the groups of antibiotics mentioned	
		in 1.1	(40 Marks)
	1.3.	Name 2 antibiotics that must be avoided in pregnancy. Give reasons.	(40 Marks)
2.			
	2.1.	Name 3 commonly prescribed antimalarial agents in Sri Lanka.	(30 Marks)
	2.2.	List the adverse effects of the drugs mentioned in 2.1.	(30 Marks)
	2.3.	Describe the chemoprophylaxis of malaria.	(40 marks)
3.			
	3.1.	List the drugs that are used in the treatment of heart failure.	(40 Marks)
	3.2.	Explain the pharmacological basis for using the drugs mentioned in	
		3.1 in the treatment of heart failure.	(60 Marks)
4.			
	4.1.	List the drugs that are used in the treatment of acute severe asthma.	(40 Marks)
	4.2.	Name the appropriate dosage form of each drug mentioned in 4.1 in	
		the treatment of acute severe asthma. Give reasons.	(60 Marks)

5.			TCV.
	5.1.	Name the drugs that are used in the eradication of <i>H. pylori</i> .	(30 Marks)
	5.2.	Explain the pharmacological basis for using triple therapy in the	
		eradication of <i>H. pylori</i> .	(50 Marks)
	5.3.	Name the most appropriate drug used in the treatment of	
		5.3.1. NSAID-induced peptic ulcer.	(10 Marks)
		5.3.2. peptic ulcer in pregnancy.	(10 Marks)
6.			
	6.1.	List 5 indications for soluble insulin.	(30 Marks)
	6.2.	What are the adverse effects of injectable insulin	(30 Marks)
	6.3.	What advice would you give to a patient while dispensing injectable	
		insulin?	(40 marks)
7.			
	7.1.	Name 3 commonly prescribed antiepileptic drugs.	(30 Marks)
	7.2.	What are the adverse effects of the drugs mentioned in 7.1	(40 Marks)
	7.3.	Mention the antiepileptic of choice for	
		7.3.1. grand mal.	(10 Marks)
		7.3.2. petit mal.	(10 Marks)
		7.3.3. partial seizure.	(10 Marks)
8.	Expl	ain the pharmacological basis for using	
	8.1.	Combination of carbidopa and levodopa in the treatment of	
		Parkinsonism.	(50 Marks)
	8.2.	Neostigmine in the treatment of myasthenia gravis.	(50 Marks)